Revised 3/25/20 Page 1

 $\underline{\text{COPY}} \text{ Medical Eligibility Form for the student to return to the school. } \underline{\text{KEEP}} \text{ the complete document in the student's medical record.}$

2020-2021 SPORTS QUALIFYING PHYSICAL EXAMINATION MEDICAL ELIGIBILITY FORM Minnesota State High School League

	Birth Date:							
Address:		Mobile Telephone						
School:	:: -	- Nic Grade:	bile Telepr	none	-			
certify that the abo (1) Particip (2) Particip	ve student has be ate in all school ate in any activi	een medically evaluated interscholastic activit ty not crossed out bel	l and is ded ies withou ow.	ıt restrictions	S.			
•	lassification Based	on Contact	Spo	ort Classification	Based on Intensity &	Strenuousness		
Collision Contact Sports	Limited Contact Sports	Non-contact Sports	High MVC)	Field Events:	Alpine Skiing*†			
Basketball Cheerleading Diving	Baseball Field Events: High Jump	Badminton Bowling Cross Country Running	↑ ↓ =: (>50%	Shot Put Gymnastics*†	Wrestling*			
Football Gymnastics Ice Hockey Lacrosse Alpine Skiing	❖ Pole Vault Floor Hockey Nordic Skiing Softball Volleyball	Dance Team Field Events: ❖ Discus ❖ Shot Put Golf	ncreasing Static Component → → → → Low II. Moderate III. 30-50% (-50-50%)	Diving*†	Dance Team Football* Field Events: → High Jump → Pole Vault† Synchronized Swimming† Track — Sprints	Basketball* Ice Hockey* Lacrosse* Nordic Skiing — Freestyle Track — Middle Distance Swimming†		
Soccer Wrestling		Swimming Tennis Track	Increasing S I. Low (<20% MVC)	Bowling Golf	Baseball* Cheerleading Floor Hockey Softball* Volleyball	Badminton Cross Country Running Nordic Skiing — Classical Soccer* Tennis Track — Long Distance		
	s additional eva lendation can be	lluation before a final e made.		A. Low	B. Moderate	C. High		
IECUIIII				(<40% Max O ₂)	(40-70% Max O ₂)	(>70% Max O₂)		
Addition parents:	dically eligible fo	Specific Sports	components a training. The i (MaxO ₂) achi estimated per The lowest to highest in dar total cardiova	fication Based on Intensity achieved during competition increasing dynamic componi- eved and results in an incre- recent of maximal voluntary or tal cardiovascular demands kest shading. The graduated iscular demands. *Danger of	easing Dynamic Component → y & Strenuousness: This classification I. It should be noted, however, that high ent is defined in terms of the estimated passing cardiac output. The increasing sontraction (MVC) reached and results in (cardiac output and blood pressure) are d shading in between depicts low moder bodily collision. †Increased risk if synce	is based on peak static and dynami er values may be reached durin version of maximal oxygen uptak static component is related to th an increasing blood pressure bar shown in lightest shading and th ate, moderate, and high moderat pe occurs. Reprinted with permis		
Addition parents: (4) Not med Specify ave examined the study ague. The athlete does by sical examination finds athlete has been clear	dically eligible for	m and completed the Sports clinical contraindications to pra my office and can be made a the physician may rescind the	components is training. The lowest in (MaxO ₂) achi estimated per The lowest in dar total cardiova sion from: Ma cardiovascula Qualifying Phactice and par vailable to the	fication Based on Intensity achieved during competition increasing dynamic componieved and results in an increated and results in a proper of the properties of	easing Dynamic Component → y & Strenuousness: This classification. It should be noted, however, that high ent is defined in terms of the estimated jeasing cardiac output. The increasing sontraction (MVC) reached and results in (cardiac output and blood pressure) are dishading in between depicts low moder bodily collision. †Increased risk if synce esda Conference: eligibility recommend Cardiol. 2005; 45(8):1317–1375. equired by the Minnesot ort(s) as outlined on this quest of the parents. If of	is based on peak static and dynami ier values may be reached durin percent of maximal oxygen uptak static component is related to th an increasing blood pressure load shown in lightest shading and th ate, moderate, and high moderat ipe occurs. Reprinted with permis ations for competitive athletes with a State High School form. A copy of the conditions arise after		
Addition parents: (4) Not med Specify have examined the stude eague. The athlete doesn'y sical examination find e athlete has been clear empletely explained to the rovider Signature.	dent named on this forms not have apparent of dings are on record in ared for participation, the athlete (and parent of the state).	rm and completed the Sports clinical contraindications to pra my office and can be made a the physician may rescind the nts or guardians).	components a training. The i (MaxO ₂) achi (estimated per The lowest to highest in dar total cardiova sion from: Ma cardiovascula Qualifying Phactice and par vailable to the clearance un	fication Based on Intensity achieved during competition increasing dynamic componione weed and results in an increasing dynamic componione with a cardiovascular demands the standard mands. The graduated scular demands. The graduated scular demands are scular demands. The graduated scular demands are scular demands and the graduated scular demands are scular demands. The graduated scular demands are scular demands and the graduated scular demands are scular demands.	easing Dynamic Component → y & Strenuousness: This classification. It should be noted, however, that high ent is defined in terms of the estimated jeasing cardiac output. The increasing sontraction (MVC) reached and results in (cardiac output and blood pressure) are dishading in between depicts low moder bodily collision. †Increased risk if synce esda Conference: eligibility recommend Cardiol. 2005; 45(8):1317–1375. equired by the Minnesot ort(s) as outlined on this quest of the parents. If of	is based on peak static and dynami ler values may be reached during bercent of maximal oxygen uptak static component is related to th an increasing blood pressure load shown in lightest shading and th ate, moderate, and high moderat ate, moderate, and high moderat pe occurs. Reprinted with permis ations for competitive athleteswith a State High School form. A copy of the conditions arise after tial consequences a		
Addition parents: (4) Not med Specify have examined the study ague. The athlete does by sical examination finds athlete has been clear ompletely explained to the provider Signature from the provider Name	dent named on this forms not have apparent of dings are on record in ared for participation, the athlete (and parents)	rm and completed the Sports elinical contraindications to pramy office and can be made at the physician may rescind the ints or guardians).	components is training. The is training. The is (MaxO ₂) achi estimated per The lowest to highest in dar total cardiova sion from: Macardiovascula Qualifying Phactice and par vailable to the celearance un	fication Based on Intensity achieved during competition increasing dynamic componieved and results in an increated and and and an increase and an incr	easing Dynamic Component → y& Strenuousness: This classification. It should be noted, however, that highen is defined in terms of the estimated jeasing cardiac output. The increasing contraction (MVC) reached and results in (cardiac output and blood pressure) are at shading in between depicts low moder bodily collision. †Increased risk if syncesed Conference: eligibility recommend Cardiol. 2005; 45(8):1317–1375. equired by the Minnesottort(s) as outlined on this quest of the parents. If coresolved and the potential part of the parents. If coresolved and the potential part of the parents.	is based on peak static and dynam ner values may be reached durin percent of maximal oxygen uptak static component is related to th an increasing blood pressure ba shown in lightest shading and th ate, moderate, and high moderat pe occurs. Reprinted with permis ations for competitive athletes with a State High School form. A copy of the conditions arise after tial consequences a		
Addition parents: (4) Not med Specify have examined the study ague. The athlete does a standard in the athlete has been clear athlete has been clear and the study athlete has been clear and the study are athlete has been clear athlete has been clear and the study at the study are athlete has been clear at a subject to the has been clear at a subject to the has been clear athlete has been clear athlete has been clear at a subject to the has been clear at a subject to the has been clear athlete.	dent named on this for some have apparent of dings are on record in ared for participation, the athlete (and parent).	rm and completed the Sports elinical contraindications to pramy office and can be made at the physician may rescind the ints or guardians).	components a training. The components are training. The components are stimated per The lowest to highest in dar total cardiova sion from: Macardiovascula Qualifying Phactice and par vailable to the celearance ur	fication Based on Intensity achieved during competition increasing dynamic componieved and results in an increated and and and an increase and an incr	easing Dynamic Component → y& Strenuousness: This classification. It should be noted, however, that highen is defined in terms of the estimated jeasing cardiac output. The increasing contraction (MVC) reached and results in (cardiac output and blood pressure) are at shading in between depicts low moder bodily collision. †Increased risk if syncesda Conference: eligibility recommend Cardiol. 2005; 45(8):1317–1375. equired by the Minnesottort(s) as outlined on this quest of the parents. If coresolved and the potential part of the parents. If coresolved and the potential part of the parents. If coresolved and the potential part of the parents.	is based on peak static and dynami ier values may be reached durin percent of maximal oxygen uptak static component is related to th an increasing blood pressure bar shown in lightest shading and th ate, moderate, and high moderat pe occurs. Reprinted with pemis ations for competitive athletes with a State High School form. A copy of the conditions arise after tial consequences a		
Addition parents: (4) Not med Specify have examined the study eague. The athlete does have examination find e athlete has been clear ompletely explained to the provider Signature rint Provider Name office/Clinic Name	dent named on this for some have apparent of dings are on record in ared for participation, the athlete (and parent).	rm and completed the Sports elinical contraindications to pramy office and can be made at the physician may rescind the ints or guardians).	components a training. The components are training. The components are stimated per The lowest to highest in dar total cardiova sion from: Macardiovascula Qualifying Phactice and par vailable to the celearance ur	fication Based on Intensity achieved during competition increasing dynamic componieved and results in an increated and and and an increase and an incr	easing Dynamic Component → y& Strenuousness: This classification. It should be noted, however, that highen is defined in terms of the estimated jeasing cardiac output. The increasing contraction (MVC) reached and results in (cardiac output and blood pressure) are at shading in between depicts low moder bodily collision. †Increased risk if syncesda Conference: eligibility recommend Cardiol. 2005; 45(8):1317–1375. equired by the Minnesottort(s) as outlined on this quest of the parents. If coresolved and the potential part of the parents. If coresolved and the potential part of the parents. If coresolved and the potential part of the parents.	is based on peak static and dynam ner values may be reached durin percent of maximal oxygen uptak static component is related to th an increasing blood pressure loa shown in lightest shading and th ate, moderate, and high moderal pe occurs. Reprinted with pemis ations for competitive athletes with a State High School form. A copy of the conditions arise after tial consequences a		
Addition parents: (4) Not med Specify have examined the stude eague. The athlete doesnysical examination find e athlete has been clear completely explained to the rovider Signature erint Provider Name office/Clinic Name office Telephone: MMUNIZATIONS [1] Story of disease); polio Up to date (some of the student of the story of disease)	dically eligible for the dent named on this for some have apparent or dings are on record in ared for participation, the athlete (and parent) e:	pr: All Sports Specific Sports m and completed the Sports clinical contraindications to pra my office and can be made a the physician may rescind the nts or guardians). E-Mail Addi (MCV4, 2 doses); HPV (3 doses)	components: training. The i (MaxO ₂) achi estimated per The lowest in dar total cardiova sion from: Ma cardiovascula Qualifying Ph actice and par vailable to the colearance un Address: Gess); MMR (2	fication Based on Intensity achieved during competition increasing dynamic componieved and results in an increasing dynamic demands. To anger of iron BJ, Zipes DP, 36th Bethar arbanormalities. J Am Coll (Constitution of the Constitution of	easing Dynamic Component → y & Strenuousness: This classification. It is should be noted, however, that highen is defined in terms of the estimated, earlier cardiac output. The increasing contraction (MVC) reached and results in (cardiac output and blood pressure) are dishading in between depicts low moder bodily collision. †Increased risk if syncoesda Conference: eligibility recommend Cardiol. 2005; 45(8):1317–1375. Required by the Minnesott of the parents. If corresolved and the potential potentia	is based on peak static and dynam ner values may be reached durin percent of maximal oxygen uptak static component is related to th an increasing blood pressure ba shown in lightest shading and th ate, moderate, and high moderal pe occurs. Reprinted with permi- lations for competitive athletes with a State High School form. A copy of the conditions arise after tial consequences a		
Addition parents: (4) Not med Specify	dically eligible for the dent named on this for some have apparent or dings are on record in ared for participation, the athlete (and parent). Elegan Today; meningococcal (3-4 doses); influenzate attached schools (3-4 doses); influenzate a	pr: All Sports Specific Sports The and completed the Sports contraindications to present my office and can be made at the physician may rescind the fits or guardians). E-Mail Additional (MCV4, 2 doses); HPV (3 doses) a (annual)] pool documentation)	components is training. The i (MaxO ₂) achi (MaxO ₂) achi estimated per The lowest to highest in dar total cardiova sion from: Ma cardiovascula Qualifying Phractice and par vailable to the clearance ur	fication Based on Intensity achieved during competition increasing dynamic componeved and results in an increasing dynamic demands. To anger of ron BJ, Zipes DP, 36th Bethar abnormalities. J Am Coll Constitution of the property of the pro	easing Dynamic Component → y& Strenuousness: This classification. It is should be noted, however, that highent is defined in terms of the estimated jeasing cardiac output. The increasing contraction (MVC) reached and results in (cardiac output and blood pressure) are dishading in between depicts low moder bodily collision. †Increased risk if syncesda Conference: eligibility recommend Cardiol. 2005; 45(8):1317–1375. Dequired by the Minnesot of the parents. If corresolved and the potential p	is based on peak static and dynamier values may be reached durin revalues and reached to the an increasing blood pressure bar shown in lightest shading and that, moderate, and high moderat per occurs. Reprinted with permisations for competitive athletes with a State High School form. A copy of the conditions arise after stial consequences a		
Addition parents: (4) Not med Specify	dically eligible for the dent named on this for some have apparent or dings are on record in ared for participation, the athlete (and parent) e:	pr: All Sports Specific Sports The and completed the Sports specific and can be made a specific and can be made at the physician may rescind the fits or guardians). E-Mail Additional (MCV4, 2 doses); HPV (3 doses a (annual)) ool documentation)	components is training. The in (MaxO ₂) achi (MaxO	fication Based on Intensity achieved during competition increasing dynamic componeved and results in an increasing dynamic constance of the control of maximal voluntary or tal cardiovascular demands. "Danger of ron BJ, Zipes DP, 36th Bethar abnormalities. J Am Coll of the control o	easing Dynamic Component → y& Strenuousness: This classification. It is should be noted, however, that highent is defined in terms of the estimated jeasing cardiac output. The increasing contraction (MVC) reached and results in (cardiac output and blood pressure) are dishading in between depicts low moder bodily collision. †Increased risk if syncesda Conference: eligibility recommend Cardiol. 2005; 45(8):1317–1375. Dequired by the Minnesot of the parents. If corresolved and the potential p	is based on peak static and dynamier values may be reached durin percent of maximal oxygen uptak static component is related to the an increasing blood pressure load shown in lightest shading and the atte, moderate, and high moderate, per occurs. Reprinted with permissations for competitive athletes with a State High School form. A copy of the conditions arise after tital consequences a		
Addition parents: (4) Not med Specify	dically eligible for the dent named on this for some have apparent or dings are on record in ared for participation, the athlete (and parent) e:	pr: All Sports Specific Sports The and completed the Sports specific and can be made a specific and can be made at the physician may rescind the fits or guardians). E-Mail Additional (MCV4, 2 doses); HPV (3 doses a (annual)) ool documentation)	components is training. The in (MaxO ₂) achi (MaxO	fication Based on Intensity achieved during competition increasing dynamic componeved and results in an increasing dynamic constance of the control of maximal voluntary or tal cardiovascular demands. "Danger of ron BJ, Zipes DP, 36th Bethar abnormalities. J Am Coll of the control o	easing Dynamic Component → y& Strenuousness: This classification. It is should be noted, however, that highent is defined in terms of the estimated jeasing cardiac output. The increasing contraction (MVC) reached and results in (cardiac output and blood pressure) are dishading in between depicts low moder bodily collision. †Increased risk if syncesda Conference: eligibility recommend Cardiol. 2005; 45(8):1317–1375. Dequired by the Minnesot of the parents. If corresolved and the potential p	is based on peak static and dynamier values may be reached durin percent of maximal oxygen uptak static component is related to the an increasing blood pressure load shown in lightest shading and the atte, moderate, and high moderate, per occurs. Reprinted with permissations for competitive athletes with a State High School form. A copy of the conditions arise after tital consequences a		
Addition parents: (4) Not med Specify	dically eligible for the dent named on this for some have apparent of the dings are on record in ared for participation, the athlete (and parent) the athlete (and parent) the dings are on record in ared for participation, the athlete (and parent)	pr: All Sports Specific Sports The and completed the Sports contraindications to present my office and can be made at the physician may rescind the fits or guardians). E-Mail Additional (MCV4, 2 doses); HPV (3 doses) a (annual)] pool documentation)	components a training. The in (MaxO ₂) achi (MaxO	fication Based on Intensity achieved during competition increasing dynamic compon- eved and results in an incre- recent of maximal voluntary co- tal cardiovascular demands kest shading. The graduate scular demands. "Danger of ion BJ, Zipes DP. 36th Beth ar abnormalities. J Am Coll (and any sicilar demands) in the spot expectation of the sp	easing Dynamic Component → y& Strenuousness: This classification. It is should be noted, however, that highent is defined in terms of the estimated jeasing cardiac output. The increasing contraction (MVC) reached and results in (cardiac output and blood pressure) are dishading in between depicts low moder bodily collision. †Increased risk if syncesda Conference: eligibility recommend Cardiol. 2005; 45(8):1317–1375. Dequired by the Minnesot of the parents. If corresolved and the potential p	is based on peak static and dynamier values may be reached durin, eer values may be reached durin, eercent of maximal oxygen uptak static component is related to the an increasing blood pressure load shown in lightest shading and the ate, moderate, and high moderatipe occurs. Reprinted with pemisations for competitive athletes with a State High School form. A copy of the conditions arise after stial consequences a		

Minnesota State High School League 2020-2021 SPORTS QUALIFYING PHYSICAL HISTORY FORM

Note: Complete and sign this form (with your parents if younger than 18) before your appointment.

Name:	Date of birth: Sport(s): How do you identify your gender? (F, M, or other):				
Date of examination: Sex assigned at birth (F, M, or intersex):	r gender? (F, M, or othe	er):			
Past and current medical conditions:					
Have you ever had surgery? If yes, list all p List current medicines and supplements: pr	ast surgeries escriptions, over-	the-counter, and h	nerbal or nutritional supp	olements.	
Do you have any allergies? If yes, please list	st all your allergie	s (ie, medicines, p	pollens, food, stinging in	sects).	
Patient Health Questionnaire Version 4 (PH Over the past 2 weeks, how often have you			ring problems? (Circle r Over half the days	esponse.) Nearly every day	
Feeling nervous, anxious, or on edge	0	1	2	3	
Not being able to stop or control worrying	0	1	2	3	
Little interest or pleasure in doing things	0	1	2	3	
Feeling down, depressed, or hopeless	0 (If the sum of re	1 esponses to quest	2 ions 1 & 2 or 3 & 4 are	3 ≥3, evaluate.)	
Circle Question Number 1) of questions for which the a	•			Circle Y for Yes	or N for No
GENERAL QUESTIONS					
1.Do you have any concerns that you would like	to discuss with your	r provider?			Y / N
2. Has a provider ever denied or restricted your p 3. Do you have any ongoing medical issues or re HEART HEALTH QUESTIONS ABOUT YOU ^a	ecent illness?	is for any reason?			Y / N
4. Have you ever passed out or nearly passed ou	ut during or after exe	ercise?			Y / N
5. Have you ever had discomfort, pain, tightness,	, or pressure in your	r chest during exerci	se?		Y / N
6. Does your heart ever race, flutter in your chest	t, or skip beats (irre	gular beats) during e	exercise?		Y / N
7. Has a doctor ever told you that you have any h	neart problems?		TCC\		Y / N
8. Has a doctor ever requested a test for your he 9. Do you get light-headed or feel shorter of brea	art? For example, e	electrocardiography (ECG) or echocardiograph	y	Y / N
10. Have you ever had a seizure?	un unam your menus	duning exercise:			Y/N
HEART HEALTH QUESTIONS ABOUT YOUR I 11. Has any family member or relative died of he	FAMILY ^a				
(including drowning or unexplained car crash)?					
 Does anyone in your family have a genetic he ventricular cardiomyopathy (ARVC), long Q ventricular tachycardia (CPVT)? 	T syndrome (LQTS)), short QT syndrom	e (SQTS), Brugada syndro	me, or catecholaminergic po	olymorphic
13. Has anyone in your family had a pacemaker BONE AND JOINT QUESTIONS	or an implanted defi	ibrillator before age	35?		Y / N
14. Have you ever had a stress fracture or an injute. Do you have a bone, muscle, ligament, or join					
MEDICAL QUESTIONS					
16. Do you cough, wheeze, or have difficulty breat 17. Are you missing a kidney, an eye, a testicle (athing during or afte	er exercise?			Y / N
18. Do you have groin or testicle pain or a painfu					
19. Do you have any recurring skin rashes or ras					
20. Have you had a concussion or head injury that	at caused confusion	n, a prolonged heada	ache, or memory problems	?	Y / N
21. Have you ever had numbness, tingling, weak	ness in your arms o	or legs, or been unat	ole to move your arms or le	gs after being hit or falling?	Y/N
22. Have you ever become ill while exercising in 23. Do you or does someone in your family have	the neat?	isaasa?			Y / N
24. Have you ever had or do you have any proble					
25. Do you worry about your weight?					Y / N
26. Are you trying to or has anyone recommended	d that you gain or lo	ose weight?			Y / N
27. Are you on a special diet or do you avoid cert	tain types of foods o	or food groups?			Y / N
28. Have you ever had an eating disorder? FEMALES ONLY					Y / IN
29. Have you ever had a menstrual period?					Y / N
30. How old were you when you had your first me	enstrual period? _				
31. When was your most recent menstrual period 32. How many periods have you had in the past					
Notes:					
I hereby state that, to the best of my knowledge,	•		·		
Signature of athlete:		Signature of pare	ent or guardian:		

Minnesota State High School League 2020-2021 SPORTS QUALIFYING PHYSICAL EXAMINATION FORM

Student Name:		Birth Date:							
Follow-Up Questions About More Sensitive Issues: 1. Do you feel stressed out or under a lot of pressure? 2. Do you ever feel so sad or hopeless that you stop doing some of your usual activities for more than a few days? 3. Do you feel safe? 4. Have you been hit, kicked, slapped, punched, sexually abused, inappropriately touched, or threatened with harm by anyone close to you? 5. Have you ever tried cigarette, cigar, pipe, e-cigarette smoking, or vaping, even 1 or 2 puffs? Do you currently smoke? 6. During the past 30 days, did you use chewing tobacco, snuff, or dip? 7. During the past 30 days, have you had any alcohol drinks, even just one? 8. Have you ever taken steroid pills or shots without a doctor's prescription? 9. Have you ever taken any medications or supplements to help you gain or lose weight or improve your performance? 10. Question "Risk Behaviors" like guns, seatbelts, unprotected sex, domestic violence, drugs, and others. Notes About Follow-Up Questions:									
		MEDICAL EXAM							
	_								
Height Weight Pulse BP	B	MI (optional) % Body fat (optional) Arm Span							
Vision: R 20/ L 20/ C	orrected: Y	//N Contacts: Y/N Hearing: R (Audiogram or c	confrontation)						
Exam	Normal	Abnormal Findings	Initials*						
Appearance	11011110								
Circle any Marfan stigmata present	\rightarrow	Kyphoscoliosis, high-arched palate, pectus excavatum, arachnodactyly, arm span > height, hyperlaxity, myopia, MVP, aortic insufficiency							
HEENT		ann span > neight, hyperiaxity, myopia, wwr, aortic insumciency							
Eyes									
Fundoscopic									
Pupils									
Hearing									
Cardiovascular ^a									
Describe any murmurs present (standing, supine, +/- Valsalva)	\rightarrow								
Pulses (simultaneous femoral &									
radial)									
Lungs									
Abdomen									
Tanner Staging (optional)	Ciricle	I II III IV V							
Skin (No HSV, MRSA, Tinea	Officie								
corporis) Musculoskeletal									
Neck									
Back Shauldar/Arra									
Shoulder/Arm									
Elbow/Forearm Wrist/Hand/Fingers									
Hip/Thigh									
Knee									
Leg/Ankle									
Foot/Toes									
Functional (Double-leg squat									
test, single-leg squat test, and									
box drop or step drop test)									
	or referral to c	ardiology for abnormal cardiac history or examination findings * For Multiple Ex	aminers						
Additional Notes:									
Health Maintenance:□ Lifestyle use □ Discussed Lead and TB expo		munizations, & safety counseling Discussed dental care & mout sting indicated / not indicated) Eye Refraction if indicated	hguard						
·	,	, ,							
Provider Signature:		Date:							